

lithic ids by JT Donovan ^{Aug} 2009OC = subified eolithic
chestUNIVERSITY OF BRISTOL SPELAEOLOGICAL
MUSEUM CATALOGUE

SOCIETY

M30.5

No. 1

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to $\frac{1}{2}$ pl.	$\frac{1}{2}$ and 1/1 pl.		2 x 2 in.	$3\frac{1}{2}$ x $3\frac{1}{2}$ in.

LOCATION

Trial trench. Layer 3

REFERENCES

- 1 fragment of flint. Much patinated OC
pebble segment; thermal frs
not artifact

NB AMA's finds database

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M305
2

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/2 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION Sq. E F E.57" N.25" D. 59" Layer (3B) 4/11/62
REFERENCES Log. B.R. p. 58

2 Fragment of densely patinated flint [OC]

snapped flake, notch in end
glossy sheen



UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5
3, 4

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.



LOCATION Sq. E F. E 31" N 108" D 35" Layer (3B)

REFERENCES Nov. 11th 1962 Log. P. 61

Sq. E F E 81" N 26" D 64" (3B)

Dec. 2nd 1962 . Log. P. 63

3 Fragment of flint [oo]



waste flake broken

4 " " " or perhaps chert. quartz



shells

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5
5, 6 [5x⁺

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION Square EF (3D) E4'6" N4'11" D4'5" 5

REFERENCES (3D) E1'7" N4'7" D4'8" 6

5. Flint fragment. Dense white patina 26/5/63. Log. p. 68
Flake


6. ~~Flint~~ fragment. Dense white patina. 26/5/63. Log. p. 68

quartz
[prob OC]

Sc. 1/1



6.



Sc. 1/1

5

NB 5x = fractured lump of quartz

Moore's Modern Methods Ltd., London



To repeat order state 5" x 8" Feint

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5
7, 8

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION Square EF (3D) E 4' 10" N 4' 3" D. 4' 4" 7
REFERENCES (3D) E 4' 10" N 4' 2" D 4' 4" 8

7 Flint ✓ fragment. (center remains in part. Log. p. 68
26/5/63 Waste flake

8 Flint. Fragment. Patina white. V. poor quality. Sc. 1/1
(Log. p. 68 26/5/63

[Ochest] Sc. 1/1



shatter piece
from human
Natural alter
fractures



UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5
9, 10

No. _____

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION Sq. EF (3D) E 4' 4" N 2' 1" D. 5' 0" 9

REFERENCES (3D) E 5' 0" N 5' 1" D 3' 11" 10

Moore's Modern Methods Ltd., London




To repeat order state 5" x 8" Feint

9 flint [OC] possible core
9 flint core. Dense white patina. v. poor quality
Log. p. 68. 26/5/63

10 [OC] flint. Small fragment. Dense white patina. v. poor quality. Part of cortex remains.
Log. p. 69. 26/5/63

Sc. 1/1



Sc. 1/1

Probable Waste Class

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5

No. 11, 12


NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/2 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION	Sq. EF	(3D)	E 5' 5"	N 4' 9"	D 4' 1"	11
REFERENCES		(3D)	E 4' 8"	N 4' 11"	D 3' 10"	12

11 Flint. ^[OC] Fragment. Dense white patina. ^{Waste flake} V. poor quality
Log. p. ~~70~~ 71 26/5/63 Sc. 1/1

12 Flint. ✓ Elongated fragment. Dense white patina. V. poor quality. Log. p. 69. 26/5/63

Sc. 1/1



12 Site Fluke from apex of reed

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5

No. 13

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION Sq. EF (3D) E 2'10" N 3'11" D 4'10" 13
REFERENCES

Moore's Modern Methods Ltd., London



To repeat order state 5" x 8" Feint

~~9/12/63~~ [OC] Dense patina. Part of cortex remains
? crude scraper or point.
Sq. p. 70 26/5/63
? modified core trimming flake Sc. 1/1



UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M 30.5

No. 14

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION Sq. EF (3D) E 5'4" N 4'11" D 3'10"

REFERENCES

Stone. Very heavy. Looks like chert. ? used as hammer stone
? local origin Chert

See over.

Log. p. 67 26/5/63

1 patch bruising
glassy surface removed white

Resembles silicified lat. of Burrington etc. None present (Cooks Peak)

T. Atkinson reports: Probably
Mainly found round
also elsewhere. 14/5/70

Black Rock 1st chert beds
Burrington Area but



3.5 cm thick

This chert does not occur in immediate vicinity
of cave

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5
15

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/2 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION *Sq. EF4 (3D) E 2'10" N 5'0" D 4'5" 15*


REFERENCES

Moore's Modern Methods Ltd., London




To repeat order state 5" x 8" Feint

Stone *Pyramidal pebble. Probably not of local origin*
Log. p. 67, 26/5/63. Colour yellow



Sc. 1/11



silicified Oolite (DTD)
T. Atkinson reports; O.P.S.
pebble, well rounded so
could come from Combe or
outwash fan at foot of hill. 14/5/77
Bringing on 2 areas

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.6
16

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/2 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION Sg. E F (3D) E 1'0" N 5'10" D 4'10" 16 ^{log 71}

REFERENCES

log says D 4'0" = 46.55"

Moore's Modern Methods Ltd., London



To repeat order state 5" x 8" Feint

16 ~~1/2~~ fragment. Poor quality. Cortex covers part + looks as if it had been subjected to sub-aerial polishing

[OC]



Sc. 4/11 1/1

Possible waste flake
cured

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5
17, 18, 19, 19a

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.
					19a, 19b

LOCATION

Sq. E F. Layer (3D)

E 5' 9" N 2' 9" D 4' 6" 17 Logh
72

REFERENCES

E 6' 11" N 4' 2" D 4' 9" 18 72

"

"

(3D)

19, 19a 73

17 Scrap of poor quality flint. ^{milky quartz} some cortex. Dense patina shatter 0

18 " prob silicified colite " " " " "

19^b 19a " " " " " " " "



UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M 30.5
19-21

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/2 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION Sq. E F. Layer (30) E 7'10" N. 6'5" D. 3'8" 19 Log. p. 74

REFERENCES

(30)

Found during sieving. In Eastern E 1/3 " p. 74
of square. 20

(30)

as for 20. 21


19. Flint. Trapezoidal shaped fragment. Perhaps a blade
Poor quality. Dense white patina.

Sc. 1/1



20


Flint. Fragment like small scraper
Poor quality. Greyish patina. Part of cortex remains
and has a lustre (? wind action)



21

21. Flint. V. poor quality. Dense
white patina. Nondescript 1...-1

Sc. 1/1



UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5
No. 22-25

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/2 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.



LOCATION	EF48	(3D)	E 5'6"	N 8'9"	D 1'8"	22 6/8/63	Leg p. 77
REFERENCES	EF66	(3D)	E 6'3"	N 7'10"	D 1'7"	23 10/8/63	78
	EF26	(3D)-(4)	E 2'9"	N 7'11"	D 3'9"	24 10/8/63	78
	EF24	(3D)-(4)	E 2'2"	N 5'1"	D 4'9"	25 10/8/63	78

22 Flint. Small fragment. ^{Some} cortex remains

23 Flint " " Very poor quality

24 " Minute fragment

25 " or chert. V. rough fragment



UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5
~~26, 27~~

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to $\frac{1}{4}$ pl.	$\frac{1}{2}$ and $1/1$ pl.		2 x 2 in.	$3\frac{1}{2}$ x $3\frac{1}{2}$ in.

LOCATION

EE/EF (3B) Bank

6/10/63

Log. 1.92

REFERENCES

Moore's Modern Methods Ltd., London



To repeat order state 5" x 8" Feint

26 Fragment of flint. Mainly covered dense patina. Found during sieving. Approx position N 4'3" - 5'3" and depth 0.3' 1". = 1.29 - 1.60 m



Sc. 1/1

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M 305

No. 27

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/2 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/4 in.

LOCATION EE. (3B)-(3D) E. 1'9". N. 8'2". D. 1'10" 12/10/63. Log. p. 95

REFERENCES

27. Flint frag. Dense patina. Nibbled or damaged edge.



Sc. 1/1

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5
28

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/4 x 3 1/2 in.

LOCATION

EE/EF (3C) 13/10/63. Log. p. 97

REFERENCES

28

Irregularly shaped piece of flint. ^{quartz [DTD]} yellow, cherty.
Some cortex remains. Found during sieving.



Se. 1/1

From here see AMA's list & database

M30.5
~~25, 29~~
~~M30.3~~
28a, 29

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/4 x 3 1/4 in.

LOCATION EE (3C) E. 0' 0" N 5' 2" D. 3' 0" (28) 16/10/63. Log. p. 99
 REFERENCES EF (3C) E. 0' 11" N 2' 9" D. 4' 1" (29) " " " "

To repeat order state 5" x 8" Feint

Moore's Modern Methods Ltd., London



28^a Tiny scrap. Dense white patina. V. poor quality
 29 " " yellow. Polished by animals walking over it.

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE


M30.5
30, 31

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to $\frac{1}{2}$ pl.	$\frac{1}{2}$ and 1/1 pl.		2 x 2 in.	$3\frac{1}{2}$ x $3\frac{1}{2}$ in.

LOCATION EE (30) E. 0' 11" N. 2' 10" D. 4' 3" (30) 19/10/63. Log. 7. 100
REFERENCES EE. (30) E.C. 0' 0" N.C. 3' 9" D.C. 4' 6" (31)

30. Flint. Tabular fragment. Yellow cortex. ? beach pebble as source.



31 Flint. Tiny irreg. scrap. Dense white patina
In material of roof collapse of badger den.

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5
32

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION EF (3D) E 9' 0" N 6' 6" D 3' 4" (32) 23.10.63 Log pg 10

REFERENCES

32 Flint tiny scrap white patina

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5
33-39

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION EF (3D) E. 8' 11" N. 1' 9" D. 5' 0" (33) 25/10/63 Log. f. 105

REFERENCES EF (3D) E. 8' 10" N. 1' 9" D. 5' 0" (34) " " " "

EF (3D) Found during sieving " " " 106

33 Flint flake. Dense white patina poor quality



Se. 1/1

34 Flint scrap. 35. Flint scrap.

Moore's Modern Methods Ltd., London



To repeat order state 5" x 8" Feint

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M305
36-38

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION EF (3D) E. 8' 8" N. 7' 9" D. 2' 6" (36) 30/10/83 p. 107
REFERENCES EE (3D) E. 1' 5" N. 7' 9" D. 2' 10" (37) " " "

36 Flint. Small core. Dense white patina.

37 " Blade or simple flakes. Mottled blue/grey patina.



38. Flint fragment.

M 30.5

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

No. 39

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to $\frac{1}{2}$ pl.	$\frac{1}{2}$ and 1/1 pl.		2 x 2 in.	$3\frac{1}{2}$ x $3\frac{1}{2}$ in.

LOCATION

Found unstrat. Badger Hole.

REFERENCES

2.11.63 Log P 108

39. Flint. Small fragment.

M.30.5

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

No. 40-41

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION

Found During Sieving 3A-3D.

REFERENCES

2.11.63

40-41.

Two Nondescript Fragments. flint

Moore's Modern Methods Ltd., London



To repeat order state 5" x 8" Feint

n 30.5

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

No. 42-44

NEGATIVES		PHOTOGRAPHS		LANTERN SLIDES	
35mm	Up to 1/2 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/2 x 3 1/2 in.

LOCATION

(3E) - (4)

REFERENCES

Positions of these finds not recorded

42	Small fragment
43
44

Moore's Modern Methods Ltd., London



To repeat order state 5" x 8" Feint

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

M30.5
45, 46

No.

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2 in.	3 1/4 x 3 1/4 in.
46/M30.0/28			46/ M30.0/28		

LOCATION 26/2/66 DE08 39 (3) 46.15 Log. p. 197
 REFERENCES 6/3/66 DE28 61 (3e) 45.85 " " 199 45 46

45 Small nondescript fragment of flint. Abraded very greatly. Looks like river terrace flint rather than directly from chalk.



46 Pebble 1.5 x 1.5 x 1 in. ? natural or brought by man

M30.5

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

No. 47

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2in.	3 1/2 x 3 1/2 in.

LOCATION 15/5/66 DE26 ~~98~~ (3) Log. p. 285

Ill. 46.47 47

REFERENCES

47. Pebble. ? brought by man



See 1/1



Moore's Modern Methods Ltd., London, E.C.4



To repeat order state Feint, Size 5" x 8"

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

No. M 3016


1

NEGATIVES			PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to $\frac{1}{4}$ pl.	$\frac{1}{2}$ and 1/1 pl.		2 x 2in.	$3\frac{1}{2}$ x $3\frac{1}{2}$ in.

LOCATION 12/8/61. Labelled (3) 2nd fl. Log. p. 10

REFERENCES

1. Fragment of bone bearing 3 incised grooves. 1 and 2 from their form are clearly man-made and ancient. 3 is much finer, looks more recent (trowel mark?) but does contain some minute fragments of layer debris. All cuts run oblique across grain of bone.




UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

No. M30.6
2

NEGATIVES		PHOTOGRAPHS		LANTERN SLIDES	
35mm	Up to 1/4 pl.	1/2 and 1/1 pl.		2 x 2in.	3 1/2 x 3 1/2 in.

LOCATION 22/9/63 EE/EF (3A) Leg. p. 87. Found during sieving
REFERENCES in baulk between EF/EE

2 Ivory? fragment. One surface has two deep nearly
parallel grooves in it ? man made



~~Found 15/5/70~~ 20/1/76 found

UNIVERSITY OF BRISTOL SPELAEOLOGICAL SOCIETY
MUSEUM CATALOGUE

No. M30*6
3

NEGATIVES		PHOTOGRAPHS	LANTERN SLIDES	
35mm	Up to $\frac{1}{4}$ pl.	$\frac{1}{2}$ and 1/1 pl.	2 x 2in.	$3\frac{1}{4}$ x $3\frac{1}{4}$ in.

LOCATION *EE Fallen material 11/3/63 Leg. p. 64*

REFERENCES *Looks as if it came from (3) Typical hyena gnawing and abrasion.*

3. ~~Bone~~ Bone fragment. Much abraded and all $\#$ surfaces partly smoothed. $\#$ Near pointed end $\frac{1}{2}$ of a cylindrical hole ? due to gnawing or man made



Sc. 1/1

P.T.O.

Detailed examination under $\times 5$ shows no clear evidence of hole having been bored but all edges are abraded.

It could be a hole made by gnawing but this seems hardly likely. It is the only such hole found in the many hundreds of bone fragments found in layer (3) gnawed and rolled like this one.

(3)

